
Body image perception of Mexican youth: A gender comparison

Francisco Muñoz Beltrán^{*}, María del Carmen Zueck Enríquez, José René Blanco Ornelas, Alejandro Chávez Guerrero^{*}, Jesús Jasso Reyes

Faculty of Physical Culture Sciences, Autonomous University of Chihuahua, Chihuahua, México

Email address:

achavez@uach.mx (A. C. Guerrero), mzueck@uach.mx (M. C. Zueck), jrbianco@uach.mx (J. R. Blanco), jjasso@uach.mx (J. Jasso)

To cite this article:

Francisco Muñoz Beltrán, María del Carmen Zueck Enríquez, José René Blanco Ornelas, Alejandro Chávez Guerrero, Jesús Jasso Reyes. Body Image Perception of Mexican Youth: A Gender Comparison. *Education Journal*. Vol. 3, No. 5, 2014, pp. 261-265. doi: 10.11648/j.edu.20140305.11

Abstract: The purpose of the present study was to compare the scores on body shape (current, ideal and social) and body size dissatisfaction between men and women high school Mexican students. A total sample of 653 participants, 322 women and 331 men, aged 13-19 years participated in this study. A quantitative approach with a descriptive and transversal survey design was used. All the participants completed the Contour Drawing Rating Scale. The results of the one-way multivariate analysis of variance, followed by the one-way univariate analyses of variance, showed that compared with the men, the women expressed a greater discrepancy between ideal and actual body shape and had higher score of social body shape and lower score of ideal body shape ($F_1 = 90.123$; $p < .001$). However, in the current body shape statistically significant differences were not found. Because of the differences between men and women in their perception of body image found, these findings suggest that in order to design any intervention for improving the perceived body image of the students, the variable gender should be taken into account.

Keywords: Body Image, Gender Differences, Body Size Dissatisfaction, Figure Rating Scale

1. Introduction

Adolescence and youth are vulnerable stages to experiment body image as moments of their life cycle characterized by physiological, emotional, and cognitive changes which contribute to the increase of concern of body image [1, 2]. In addition to these stages, the desire of losing weight and keeping fit contribute to one of the most significant risk features for behavioral eating problems [3].

The ideal of a thin person as well as concerns about weight, come from a cultural ideal, and even when nowadays it is considered as esthetic, it is only a passing fashion and not necessarily healthy or accessible. This can have negative consequences, generating anxiety as a great concern about weight and image, which can be expressed as body size dissatisfaction, where individuals value and despise their distorted body image, the inaccuracy while determining their body size [4].

Body image and aesthetics standards, which currently rule Western World, can affect psychological development of man and women. But pre-adolescent and adolescent women

present a greater tendency to manage conflicts toward body image related to the eating behavioral problem development [5, 6]. This is due to the "Slimness and Beauty" which are especially rigid for them [7].

Reference [8] points out that a society, which glorifies beauty, youth and health; it is not surprising that concerns about body image increase. In fact, millions are spent every year to improve their body image. But excessive concern can be disruptive, even disabling for a lot of people.

Self-concept plays a decisive and central role in the development of personality, such as it is highlighted in the main psychological theories. A positive Self-concept is the base of proper personal, social and professional performance depending on him to a large extent, his personal satisfaction and feeling fine with himself. In particular, Physical Self-concept proves to be a good indicator of mental health and life adjustment [9-11]. Feeling fine with our body helps generating positive feelings. So that achieving a positive Self-concept is one of the main pretended goals in large number of psychological intervention programs (Education, Clinical, Community, Civic...) for those who demand

strategies and resources which permit its improvement [12].

In almost all the studies made by different authors, differences in gender were found. “Women” Self-concept is meaningfully inferior to “Man” [13-15] where a possible explanation may be the fact of a socialization process in the physical practice of sports such as it happens in other development fields, where exists a stereotype which helps man to participate, in a special way, in competitive sports where they have the opportunity to develop certain physical skills more than women [16, 17].

In this sense, it is of special relevance to find out if belonging to a determined gender produces or not physical or cognitive benefits that contribute to decrease concern about physical appearance while improving perception about their body image.

This study is attempted to determine the differences and similarities among middle school and high school Mexican men and women regarding their current body image, ideal, social and image dissatisfaction, considering that in the last years body image has taken a significant importance in modern societies, which has created a subculture based on perception and the importance of the ideal image [18].

As a result, this study pretends as an applied research to contribute with information which can be transformed into a greater quality of the Educational Practice in the context of attention to diversity; contributing to the pedagogical knowledge revealing the factors which form an integral human development; under the premise that Educational Efforts must focus on the increase of feelings and self concept which will strengthen self-esteem and self-concept. This will favor motivation toward success, interpersonal relationships, in general, the particular form to carry out different tasks and challenges presented to them.

2. Methods

2.1. Participants

A sample of 653 high school Mexican students, 322 women and 331 men, aged 13-19 years ($M = 15.30$; $SD = 1.65$) participated in the present study. A convenience sampling was used in order to try covering the representative of different school levels studied (Table 1).

Table 1. Distribución de los participantes de acuerdo al género y escolaridad

	Women	Men	Total
Secundaria	138	139	277
Bachillerato	184	192	376
Total	322	331	653

2.2. Instrument

Scale for the estimation of body shape, adapted and computerized [19], of the original version “Contour Drawing Rating Scale” (CDRS) of [20]. The CDRS consists of nine drawings of a female figure (for female participants) or a male figure (for male participants). Each drawing

increases in size from extremely thin (1) to very obese (9). Participants are asked to rate their current, ideal and social body shape. The discrepancy between the ideal and current size scores is an index of body size dissatisfaction.

2.3. Design

Regarding the design of the study, a quantitative approach with a descriptive and transversal survey design was used [21]. The independent variable was gender (women and men) and the dependent variables were the scores on body shape (current, ideal and social) and body size dissatisfaction (ideal minus current body shape).

2.4. Procedure

All the high school students were invited to participate in the present study. These students were fully informed about all the features of the project. Then, all the students that agree to participate were asked to sign a written informed consent. After the students approvals were obtained, participants completed the above mentioned questionnaire by means of the instrument module administrator of the Scales Editor Version 2.0 [22].

Participants completed the questionnaire in the computer rooms of their schools during a session. At the beginning of the session the researchers gave a general introduction about the importance of the research and how to access the questionnaire through the software. When the participants were into the editor, the instructions about how to fill out the questionnaire correctly appeared before the instrument. Additionally, the participants were advised to ask for help if confused concerning either the instructions or the clarity of a particular item. Completion of the entire questionnaire took approximately 10 minutes. At the end of the session their participation was welcomed. Afterward, when all the participants completed the questionnaire, the data were collected by means of the results generator module of the Scales Editor Version 2.0 [22].

2.5. Data Analysis

Descriptive statistics (means and standard deviations) for all the variables were calculated. Subsequently, after verifying that the data met the assumptions of parametric statistical analyses, a one-way multivariate analysis of variance (MANOVA), followed by the one-way univariate analysis of variance (ANOVA), were used to examine the differences between the athletes and non athletes on the reported body shape (current, ideal and social) and index of body size dissatisfaction scores. Moreover, the effect size was estimated using the eta-squared (η^2). All statistical analyses were performed using the SPSS version 20.0 for Windows (IBM® SPSS® Statistics 20). The statistical significance level was set at $p < .05$.

3. Results

Table 2 shows the mean values and standard deviations of the variables of body shape, as well as the results of the

MANOVA and the follow-up univariate ANOVAs. The MANOVA results indicated overall statistical significant differences between genders on the body shape scores (Wilks' $\lambda = .811$; $p < .001$; $\eta^2 = .189$). Subsequently, the follow-up ANOVAs showed that compared with the men, the women expressed a greater discrepancy between ideal and actual body shape ($F1 = 46.451$; $p < .001$) and had higher score of social body shape ($F1 = 6.688$; $p < .01$) and lower score of ideal body shape ($F1 = 90.123$; $p < .001$). However, in the current body shape statistically significant differences were not found ($p > .05$).

4. Discussion and Conclusions

Results show that even when no significant differences were found between men and women toward perception of their current image, women are the ones who select thicker models for their social image and show higher body size dissatisfaction; in addition to choosing thinner models for their ideal image, this is consistent with the information reported in other studies where it is confirmed that in comparing men to women same age and same level of

studies, women frequently show more concern about losing weight and look thin, regardless it is necessary or not [23-25]; and they are even more dissatisfied with body image [26].

These results can also be explained on basis in Western Cultural Gender Stereotypes [27, 28]; the process of socialization encourages determined ways of thinking, feeling and acting and depending on being a man or a woman promotes an identity of gender; this explains the development of beliefs differentiated among men and woman [13].

Results obtained also show that young women can be more susceptible to socio-cultural pressure which promotes an unrealistic beauty ideal; transmitted by media, family and couples as it is proposed by [29-31].

Differences found between men and women toward their body image perception, in addition suggest that while designing any type of intervention with the goal of improvement has to take into account the variable of gender; however it is necessary to develop more studies about this because this topic goes beyond all the scope of this study, and also highlights the importance of making more studies about this in our country.

Table 2. Results of MANOVA for the gender differences on the four variables of body shape

	women (n = 322)	men (n = 331)	F	p	η^2
current body shape	4.01 (0.92)	3.90 (0.81)	37.841	<.001	.189
ideal body shape	3.38 (0.80)	3.89 (0.56)	2.407	<.121	.004
social body shape	4.17 (1.12)	3.94 (1.14)	90.123	<.001	.122
body size dissatisfaction	0.82 (0.72)	0.49 (0.48)	6.688	<.01	.010
			46.451	<.001	.067

Note. Descriptive values are reported as mean (standard deviation).

Acknowledgements

This study is part of a project funded by the “*Secretaría de Educación Pública - Subsecretaría de Educación Superior - Dirección General de Educación Superior Universitaria de México* [Mexican Ministry of Education-Department of Higher Education - General Directorate of University Education] (OF-13-6894).

References

- [1] Inglés, C. J., J. A. Piqueras, J. M. García-Fernández, L. J. García-López, B. Delgado and C. Ruiz-Esteban. Gender and age differences in cognitive, psychophysiological and motor responses of social anxiety in adolescence. *Psicothema*, 2010. 22(3): p. 376-381. [Inglés, C. J., J. A. Piqueras, J. M. García-Fernández, L. J. García-López, B. Delgado and C. Ruiz-Esteban, Diferencias de género y edad en respuestas cognitivas, psicofisiológicas y motoras de ansiedad social en la adolescencia. *Psicothema*, 2010. 22(3): p. 376-381.]
- [2] Santrock, J. Adolescents. *Developmental Psychology*. Spain: McGraw Hill. 2004. [Santrock, J., Adolescencia. *Psicología del desarrollo*. España: McGraw Hill. 2004.]
- [3] Solano, N. and A. Cano. Anxiety in eating disorders: A comparative study. *Psicothema*, 2012. 24(3): p. 384-389. [Solano, N. and A. Cano, Ansiedad en los trastornos alimentarios: Un estudio comparativo. *Psicothema*, 2012. 24(3): p. 384-389.]
- [4] Anuel, A., A. Bracho, N. Brito, J. E. Rondón and D. Sulbarán. Cognitive mechanisms of self-acceptance and body image. *Psicothema*, 2012. 24(3): p. 390-395. [Anuel, A., A. Bracho, N. Brito, J. E. Rondón and D. Sulbarán, Autoaceptación y mecanismos cognitivos sobre la imagen corporal. *Psicothema*, 2012. 24(3): p. 390-395.]
- [5] Francisco, R., M. Alarcão and I. Narciso. Evaluation of risk factors for development of eating disorders: Development and validation studies of the Portuguese version of the McKnight Risk Factor Survey IV. *Revista Iberoamericana y Evaluación Psicológica*, 2011. 32(2): p. 143-170. [Francisco, R., M. Alarcão and I. Narciso, Avaliação de factores de risco de desenvolvimento de perturbações alimentares: Desenvolvimento e estudos de validação da versão portuguesa do McKnight Risk Factor Survey IV. *Revista Iberoamericana de Diagnóstico y Evaluación Psicológica*, 2011. 32(2): p. 143-170.]
- [6] Thompson, J. K. Introduction: Body image, eating disorders, and obesity – An emerging synthesis, in *Body image, eating disorders, and obesity: An Integrative Guide for Assessment and Treatment*, J.K. Thompson, Editor, American Psychological Association: Washington, D C. 2003; p. 1-20.

- [7] Calaf, M., M. León, C. Hilerio and J. Rodríguez. Inventory of Body Image for Teens Fémimas (IICFA). *Interamerican Journal of Psychology*, 2005. 39(3): p. 347-354. [Calaf, M., M. León, C. Hilerio and J. Rodríguez, *Inventario de Imagen Corporal para Fémimas Adolescentes (IICFA)*. Revista Interamericana de psicología, 2005. 39(3): p. 347-354.]
- [8] Raich, R. M. A perspective from the health psychology of body image. *Advances in Psychology Revista Latinoamericana*, 2004. 22: p. 15-27. [Raich, R. M., Una perspectiva desde la psicología de la salud de la imagen corporal. *Revista Avances en Psicología Latinoamericana*, 2004. 22: p. 15-27.]
- [9] Goñi, A. (2009). The physical self: Psychology and Education. Madrid: Pirámide. [Goñi, A. (2009). El autoconcepto físico: Psicología y educación. Madrid: Pirámide.]
- [10] Goñi, E., & Infante, G. (2010). Sport and physical activity, physical self-concept and life satisfaction. *European Journal of Education and Psychology*, 3(2), 199-208. [Goñi, E., & Infante, G. (2010). Actividad físico-deportiva, autoconcepto físico y satisfacción con la vida. *European Journal of Education and Psychology*, 3(2), 199-208.]
- [11] Reigal, R., Videra, A., Parra, J. L., & Juárez, R. (2012). Sports physical activity, physical self-concept and psychological well-being in adolescence. *Challenges. New Trends in Physical Education, Sport and Recreation*, 22, 19-23. [Reigal, R., Videra, A., Parra, J. L., & Juárez, R. (2012). Actividad físico deportiva, autoconcepto físico y bienestar psicológico en la adolescencia. *Retos. Nuevas tendencias en Educación Física, Deporte y Recreación*, 22, 19-23.]
- [12] Esnaola, I., Goñi, A., & Madariaga, J. M. (2008). Self-concept: research perspectives. *Journal of Psychodidactics* 13(1), 69-96. [Esnaola, I., Goñi, A., & Madariaga, J. M. (2008). El autoconcepto: perspectivas de investigación. *Revista de Psicodidáctica*, 13(1), 69-96.]
- [13] Çağlar, E. (2009). Similarities and differences in physical self-concept of males and females during late adolescence and early adulthood. *Adolescence*, 44(174), 407-419.
- [14] Çağlar, E., & Asci, F. H. (2006). Gender and physical activity level differences in physical self-perceptions of university students: a case of Turkey. *International Journal of Sport Psychology*, 37(1), 58-74.
- [15] Pastor, Y., Balaguer, I., & García-Merita, M. L. (2003). Self-concept and self-esteem in middle adolescence: differential analysis by grade and gender. *International Journal of Social Psychology*, 18(2), 141-159. doi: 10.1174/021347403321645258 [Pastor, Y., Balaguer, I., & García-Merita, M. L. (2003). El autoconcepto y la autoestima en la adolescencia media: análisis diferencial por curso y género. *International Journal of Social Psychology*, 18(2), 141-159. doi: 10.1174/021347403321645258]
- [16] Fernández, J. G., Contreras, O. R., González, I., & Abellán, J. (2011). Physical self-concept in secondary education. Differences by gender and age. *Galego-Portuguesa Magazine Psicología and Education*. 19(1), 199-212. [Fernández, J. G., Contreras, O. R., González, I., & Abellán, J. (2011). El autoconcepto físico en educación secundaria. Diferencias en función del género y la edad. *Revista Galego-Portuguesa de Psicología e Educación*, 19(1), 199-212.]
- [17] Rodríguez, A., González-Fernández, Ó., & Goñi, A. (2013). Sources of perceived sociocultural pressure on physical self-concept. *Psicothema*, 25(2), 192-198. doi: 10.7334/psicothema2012.229
- [18] Banfield, S. and M. P. McCabe, An evaluation of the construct of body image. *Adolescence*, 2002. 37(146): p. 373-393.
- [19] Gastélum, G. and H. Blanco. Computerized version of the Contour Estimation Scale Figure, in X International Congress, Faculty of Physical Education and Sport Sciences, Faculty of Physical Education and Sports Science, Editor UACH: México. 2006; p. 285-286. [Gastélum, G. and H. Blanco, Versión informatizada de la Escala Estimación del Contorno de la Figura, in X Congreso Internacional, Facultad de Educación Física y Ciencias del Deporte, Facultad de Educación Física y Ciencias del Deporte, Editor., UACH: México. 2006; p. 285-286.]
- [20] Thompson, M. A. and J. J. Gray. Development and validation of a new body-image assessment scale. *Journal of Personality Assessment*, 1995. 64(2): p. 258-269.
- [21] Hernández, R., C. Fernández and P. Baptista. *Research Methodology*. México: McGraw- Hill.2010. [Hernández, R., C. Fernández and P. Baptista, *Metodología de la investigación*. México: McGraw- Hill.2010.]
- [22] Blanco, H., M. Ornelas, J. L. Tristán, A. Cocca, D. Mayorga-Vega, J. López-Walle and J. Vicianá. Editor for creating and applying computerise surveys. *Procedia Social and Behavioral Sciences*, 2013. 106: p. 935-940.
- [23] Acosta, M. V., J. M. Llopis, G. Gómez-Peresmitré and G. Pineda. Assessment of dietary risk behavior. *Dolescentes transcultural study between Spain and Mexico*. *International Journal of Psychology and Psychological Therapy*, 2005. 5(3): p. 223-232. [Acosta, M. V., J. M. Llopis, G. Gómez-Peresmitré and G. Pineda, Evaluación de la conducta alimentaria de riesgo. Estudio transcultural entre dolcentes de España y México. *International Journal of Psychology and Psychological Therapy*, 2005. 5(3): p. 223-232.]
- [24] Gómez-Peresmitré, G. and M. V. Acosta. Rating thinness. A cross-cultural study (México/España). *Psicothema*, 2002. 14(2): p. 221-226. [Gómez-Peresmitré, G. and M. V. Acosta, Valoración de la delgadez. Un estudio transcultural (México/España). *Psicothema*, 2002. 14(2): p. 221-226]
- [25] Peláez, M. Á., F. J. Labrador and R. M. Raich. Prevalence disorders of eating behavior: Methodological considerations. *International Journal of Psychology and Psychological Therapy*, 2005. 5(2): p. 135-148. [Peláez, M. Á., F. J. Labrador and R. M. Raich. Prevalencia de los trastornos de la conducta alimentaria: Consideraciones metodológicas. *International Journal of Psychology and Psychological Therapy*, 2005. 5(2): p. 135-148.]
- [26] Mercado, C. Application of gender analysis to disordered eating behavior. *Journal of Health*, 2008. 4(14): p. 1-14. [Mercado, C., Aplicación del análisis de género a los trastornos de la conducta alimentaria. *Revista de Salud*, 2008. 4(14): p. 1-14.]
- [27] Colley, A., Berman, E., & Millingen, L. V. (2005). Age and Gender Differences in Young People's Perceptions of Sport Participants. *Journal of Applied Social Psychology*, 35(7), 1440-1454. doi: 10.1111/j.1559-1816.2005.tb02178.x

- [28] Contreras, O. R., Fernández, J. G., García, L. M., Palou, P., & Ponseti, J. (2010). El autoconcepto físico y su relación con la práctica deportiva en estudiantes adolescentes. *Revista de Psicología del Deporte*, 19(1), 23-39.
- [29] Englera, P. A., J. H. Crowtherb, G. Daltonb and J. L. Sanftner, Predicting Eating Disorder Group Membership: An Examination and Extension of the Sociocultural Model. *Behavior Therapy*, 2006. 37(1): p. 69-79.
- [30] Rodriguez, B., H. Oudhof, N. I. Gonzalez-Arratia and C. Unikel-Santoncini. Development and validation of a scale for measuring body image in young women. *Mental Health* 2010. 33(4): p. 325-332. [Rodriguez, B., H. Oudhof, N. I. Gonzalez-Arratia and C. Unikel-Santoncini, Desarrollo y validación de una escala para medir imagen corporal en mujeres jóvenes. *Salud Mental*, 2010. 33(4): p. 325-332.]
- [31] Jáuregui, I. and P. Bolaños. Body image and quality of life in a Spanish population. *International Journal of General Medicine*, 2010. 4: p. 63-72.